

rteres

Instrument :

FID_B

ClientSampleId :

WC-14A-1A-7-GR

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB06142
 Data File : FB027424.D
 Signal(s) : FID2B.CH
 Acq On : 14 Jun 2022 12:14
 Sample : N3334-05
 Misc : 5.02G/5.00 ML DI WATER
 ALS Vial : 5 Sample Multiplier: 1

Reviewed By :Yogesh Patel 06/15/2022
 Supervised By :Ankita Jodhani 06/15/2022

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB061022.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	5.971	5.539	6.149	PV	29510	3673690	6.02%	0.592%
2	6.388	6.149	6.575	VV	118292	8713609	14.29%	1.404%
3	7.165	6.999	7.284	VV	239640	21715697	35.61%	3.498%
4	7.392	7.284	7.567	VV	181092	17031667	27.93%	2.744%
5	7.817	7.567	7.987	VV	159826	20399664	33.45%	3.286%
6	8.046	7.987	8.122	VV	2141	104891	0.17%	0.017%
7	8.255	8.122	8.366	PV	29655	1998641	3.28%	0.322%
8	8.593	8.366	8.721	VV	133845	13681447	22.43%	2.204%
9	8.875	8.721	9.160	VV	761730	60986137	100.00%	9.825%
10	9.259	9.160	9.306	VV	88339	5763637	9.45%	0.929%
11	9.411	9.306	9.557	VV	160260	16776802	27.51%	2.703%
12	9.661	9.557	9.952	VV	182463	18363496	30.11%	2.958%
13	10.209	9.952	10.347	PV	467538	32684663	53.59%	5.266%
14	10.511	10.347	10.626	VV	158587	13096926	21.48%	2.110%
15	10.802	10.626	10.885	VV	248501	19002361	31.16%	3.061%
16	10.973	10.885	11.102	VV	252022	20534575	33.67%	3.308%
17	11.176	11.102	11.378	VV	130960	11336106	18.59%	1.826%
18	11.465	11.378	11.526	VV	46144	3190778	5.23%	0.514%
19	11.765	11.526	11.976	VV	511477	58982012	96.71%	9.502%
20	12.090	11.976	12.251	VV	273669	18838389	30.89%	3.035%
21	12.354	12.251	12.462	VV	29512	2129229	3.49%	0.343%
22	12.556	12.462	12.635	PV	18272	1070099	1.75%	0.172%
23	12.782	12.635	12.904	VV	116588	11028382	18.08%	1.777%
24	13.022	12.904	13.225	VV	348555	30726550	50.38%	4.950%
25	13.329	13.225	13.440	VV	160510	12600522	20.66%	2.030%
26	13.551	13.440	13.676	VV	401230	27293038	44.75%	4.397%
27	13.822	13.676	14.000	VV	206299	20801730	34.11%	3.351%
28	14.111	14.000	14.339	VV	543026	42688525	70.00%	6.877%
29	14.429	14.339	14.521	VV	107698	6706462	11.00%	1.080%
30	14.565	14.521	14.616	VV	28017	1459797	2.39%	0.235%
31	14.708	14.616	14.762	VV	56734	3512791	5.76%	0.566%
32	14.846	14.762	14.990	VV	114818	9173788	15.04%	1.478%
33	15.193	14.990	15.390	VV	215597	30193861	49.51%	4.864%
34	15.514	15.390	15.640	VV	343371	25575836	41.94%	4.120%
35	15.677	15.640	15.745	VV	94984	4876851	8.00%	0.786%
36	15.809	15.745	15.879	VV	94239	5309499	8.71%	0.855%

	Area	Height	Area%	Height%	Area	Height	Area%	Height%
37	15.951	15.879	16.097	VV	101410	8225716	13.49%	1.325%
38	16.201	16.097	16.254	VBA	183660	10477369	17.49%	1.325%
Sum of corrected areas:					620770			

FB061022.M Wed Jun 15 03:50:00 2022

Instrument :
FID_B
ClientSampleId :
WC-14A-1A-7-GR

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/15/2022
Supervised By :Ankita Jodhani 06/15/2022