

Instrument :

FID_B

ClientSampleId :

WC-14A-1A-5-GR

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/15/2022

Supervised By :Ankita Jodhani 06/15/2022

rteres

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB06142
 Data File : FB027427.D
 Signal(s) : FID2B.CH
 Acq On : 14 Jun 2022 14:34
 Sample : N3334-23
 Misc : 5.01G/5.00 ML DI WATER
 ALS Vial : 8 Sample Multiplier: 1

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB061022.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.708	4.504	4.845	BV	806	61801	0.55%	0.061%
2	5.036	4.845	5.232	VV	1827	180675	1.62%	0.179%
3	5.575	5.564	5.592	PV	19	224	0.00%	0.000%
4	5.598	5.592	5.630	VV	18	306	0.00%	0.000%
5	5.642	5.630	5.671	VV	27	439	0.00%	0.000%
6	5.967	5.671	6.113	VV	890	106339	0.95%	0.106%
7	6.123	6.113	6.142	VV	72	1060	0.01%	0.001%
8	6.205	6.142	6.216	VV	154	4606	0.04%	0.005%
9	6.379	6.216	6.524	VV	973	85309	0.77%	0.085%
10	6.532	6.524	6.557	VV	22	200	0.00%	0.000%
11	6.567	6.557	6.577	PV	12	88	0.00%	0.000%
12	6.757	6.577	6.767	VV	473	25116	0.23%	0.025%
13	6.772	6.767	6.794	VV	454	7070	0.06%	0.007%
14	7.144	6.968	7.275	VV	4505	466772	4.19%	0.463%
15	7.411	7.275	7.563	VV	3573	409852	3.68%	0.407%
16	7.796	7.563	7.986	VV	6142	840337	7.54%	0.834%
17	8.068	7.986	8.126	PV	105	4856	0.04%	0.005%
18	8.247	8.126	8.354	VV	1310	88155	0.79%	0.087%
19	8.583	8.354	8.712	VV	8224	822630	7.39%	0.816%
20	8.863	8.712	8.973	VV	28279	2090856	18.77%	2.075%
21	9.002	8.973	9.142	VV	7040	481062	4.32%	0.477%
22	9.246	9.142	9.309	VV	6745	477556	4.29%	0.474%
23	9.396	9.309	9.552	VV	8043	814854	7.32%	0.809%
24	9.664	9.552	9.942	VV	9020	1032761	9.27%	1.025%
25	10.200	9.942	10.348	PV	36474	2624573	23.56%	2.605%
26	10.501	10.348	10.619	VV	16341	1351305	12.13%	1.341%
27	10.796	10.619	10.878	VV	25145	1880158	16.88%	1.866%
28	10.964	10.878	11.091	VV	27503	2096898	18.83%	2.081%
29	11.173	11.091	11.363	VV	14634	1268175	11.39%	1.259%
30	11.462	11.363	11.520	VV	5765	409313	3.67%	0.406%
31	11.758	11.520	11.972	VV	67664	8387318	75.30%	8.324%
32	12.084	11.972	12.223	VV	36504	2549270	22.89%	2.530%
33	12.344	12.223	12.458	VV	5488	434062	3.90%	0.431%
34	12.558	12.458	12.630	PV	3864	223726	2.01%	0.222%
35	12.776	12.630	12.905	VV	36428	2898141	26.02%	2.876%
36	13.023	12.905	13.230	VV	69953	6177168	55.46%	6.131%

rteres									
37	13.333	13.230	13.435	VV	31638	2431590	21.83%	2.413%	
38	13.546	13.435	13.671	VV	91021	6055686	54.83%	5.813%	
39	13.816	13.671	13.899	VV	61628	4844696	43.83%	4.613%	
40	13.925	13.899	13.998	VV	28894	1320087	11.83%	1.213%	
41	14.107	13.998	14.339	VV	131028	10950503	98.83%	10.413%	
42	14.430	14.339	14.511	VV	28465	1677282	15.83%	1.613%	
43	14.539	14.511	14.613	VV	8816	393363	3.53%	0.390%	
44	14.706	14.613	14.748	VV	13322	707560	6.35%	0.702%	
45	14.841	14.748	14.974	VV	51312	3740868	33.59%	3.713%	
46	15.193	14.974	15.375	VV	71420	11138125	100.00%	11.054%	
47	15.511	15.375	15.738	VV	109127	9753353	87.57%	9.680%	
48	15.806	15.738	15.874	VV	30367	1716902	15.41%	1.704%	
49	15.950	15.874	16.101	VV	43594	3483712	31.28%	3.457%	
50	16.199	16.101	16.254	VBA	76251	4243470	38.10%	4.211%	

Sum of corrected areas: 100760225

FB061022.M Wed Jun 15 03:53:27 2022

Instrument :

FID_B

ClientSampleId :

WC-14A-1A-5-GR

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/15/2022

Supervised By :Ankita Jodhani 06/15/2022