

rteres

Instrument :

FID_B

ClientSampleId :

WC-14A-1A-5-GRMSD

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB06142
 Data File : FB027430.D
 Signal(s) : FID2B.CH
 Acq On : 14 Jun 2022 16:25
 Sample : N3334-23MSD
 Misc : 5.03G/5.00 ML DI WATER
 ALS Vial : 11 Sample Multiplier: 1

Reviewed By :Yogesh Patel 06/15/2022
 Supervised By :Ankita Jodhani 06/15/2022

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB061022.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.535	4.504	4.548	BV	12	173	0.00%	0.000%
2	4.698	4.548	4.832	VV	1055	78012	1.36%	0.138%
3	5.196	5.187	5.224	VV	32	386	0.01%	0.001%
4	5.527	5.509	5.552	PV	31	429	0.01%	0.001%
5	5.569	5.552	5.578	VV	30	244	0.00%	0.000%
6	5.588	5.578	5.611	VV	19	194	0.00%	0.000%
7	5.637	5.611	5.645	VV	21	259	0.00%	0.000%
8	5.947	5.645	6.120	VV	724	83440	1.46%	0.148%
9	6.373	6.120	6.541	VV	762	62206	1.09%	0.110%
10	6.569	6.541	6.578	PV	26	198	0.00%	0.000%
11	6.735	6.578	6.794	PV	354	27363	0.48%	0.048%
12	6.897	6.794	6.961	VV	1104	73427	1.28%	0.130%
13	7.147	6.961	7.267	VV	3500	374560	6.55%	0.664%
14	7.404	7.267	7.549	VV	3199	338870	5.92%	0.600%
15	7.658	7.549	7.671	VV	3058	157639	2.76%	0.279%
16	7.782	7.671	7.994	VV	5436	575314	10.06%	1.019%
17	8.080	7.994	8.095	VV	195	9626	0.17%	0.017%
18	8.120	8.095	8.126	VV	194	3441	0.06%	0.006%
19	8.235	8.126	8.350	VV	1132	85503	1.49%	0.151%
20	8.576	8.350	8.703	VV	6305	642175	11.22%	1.138%
21	8.857	8.703	8.963	VV	22469	1594200	27.86%	2.824%
22	8.996	8.963	9.141	VV	5190	382727	6.69%	0.678%
23	9.238	9.141	9.302	VV	4878	343334	6.00%	0.608%
24	9.395	9.302	9.550	VV	6293	639839	11.18%	1.134%
25	9.661	9.550	9.937	VV	6947	755308	13.20%	1.338%
26	10.036	9.937	10.059	PV	920	38804	0.68%	0.069%
27	10.199	10.059	10.332	VV	25666	1787696	31.25%	3.167%
28	10.498	10.332	10.601	VV	11224	960784	16.79%	1.702%
29	10.793	10.601	10.876	VV	16549	1305461	22.82%	2.313%
30	10.963	10.876	11.090	VV	18502	1396554	24.41%	2.474%
31	11.172	11.090	11.364	VV	9913	883857	15.45%	1.566%
32	11.462	11.364	11.520	VV	4048	297523	5.20%	0.527%
33	11.758	11.520	11.849	VV	42801	4344696	75.94%	7.697%
34	11.866	11.849	11.971	VV	21353	955835	16.71%	1.693%
35	12.084	11.971	12.222	VV	21990	1536013	26.85%	2.721%
36	12.345	12.222	12.458	VV	3277	264665	4.63%	0.469%

				rters			
37	12.558	12.458	12.629	PV	2378	142550	2.49% 0.253%
38	12.775	12.629	12.906	VV	21157	1735887	30
39	13.023	12.906	13.231	VV	39767	3575221	62
40	13.333	13.231	13.435	VV	17365	1383403	24
41	13.546	13.435	13.673	VV	47129	3286696	57
42	13.815	13.673	13.899	VV	31635	2538281	44
43	13.925	13.899	13.997	VV	15401	712295	12.45% 1.262%
44	14.106	13.997	14.341	VV	66248	5721394	100.00% 10.137%
45	14.429	14.341	14.511	VV	14667	924947	16.17% 1.639%
46	14.537	14.511	14.612	VV	5069	240659	4.21% 0.426%
47	14.705	14.612	14.746	VV	7371	421306	7.36% 0.746%
48	14.840	14.746	14.984	VV	26275	2076828	36.30% 3.679%
49	15.192	14.984	15.375	VV	33024	5237150	91.54% 9.279%
50	15.509	15.375	15.735	VV	44694	4125129	72.10% 7.308%
51	15.805	15.735	15.872	VV	13912	834643	14.59% 1.479%
52	15.949	15.872	16.114	VV	19940	1806571	31.58% 3.201%
53	16.198	16.114	16.254	VBA	30682	1679652	29.36% 2.976%
Sum of corrected areas:						56443368	

Instrument :
FID_B
ClientSampleId :
WC-14A-1A-5-GRMSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/15/2022
Supervised By :Ankita Jodhani 06/15/2022

FB061022.M Wed Jun 15 13:39:41 2022