

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB061720\
Data File : FB024465.D
Signal(s) : FID2B.CH
Acq On : 17 Jun 2020 9:48
Sample : BSF0617S1
Misc : 5.02gm/5.00ml DI WATER
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB060920.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.686	4.517	4.818	BV	12717	901884	83.93%	14.370%
2	7.414	7.194	7.631	VV	11539	971182	90.38%	15.474%
3	7.753	7.631	7.820	VV	5820	322853	30.04%	5.144%
4	7.888	7.820	8.055	VV	7174	381619	35.51%	6.080%
5	8.794	8.602	9.007	PV	8394	471490	43.88%	7.512%
6	10.626	10.524	10.791	VV	23072	1074566	100.00%	17.121%
7	13.066	12.875	13.127	BV	7667	334818	31.16%	5.335%
8	13.199	13.127	13.474	VV	14722	654172	60.88%	10.423%
9	13.926	13.793	14.030	VV	14226	634054	59.01%	10.102%
10	16.203	16.079	16.316	VV	12543	529699	49.29%	8.440%

Sum of corrected areas: 6276337

FB060920.M Thu Jun 18 09:09:15 2020