

rteres

Area

# Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB061821\  
Data File : FB025883.D

Signal(s) : FID2B.CH  
Acq On : 18 Jun 2021 10:39  
Sample : BSF0618S1  
Misc : 5.01g/5.00ml DI WATER  
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method :  
Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB060921.M  
Title :

Signal : FID2B.CH

| peak<br>% of<br>#<br>total | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. |
|----------------------------|-------------|--------------|------------|----------|----------------|--------------|----------------|
| 1                          | 5.164       | 4.988        | 5.305      | BV       | 10936          | 772464       | 70.85%         |
| 13.617%                    |             |              |            |          |                |              |                |
| 2                          | 7.864       | 7.657        | 8.053      | BV       | 8361           | 673724       | 61.79%         |
| 11.877%                    |             |              |            |          |                |              |                |
| 3                          | 8.186       | 8.053        | 8.262      | VV       | 6436           | 341927       | 31.36%         |
| 6.028%                     |             |              |            |          |                |              |                |
| 4                          | 8.337       | 8.262        | 8.501      | VB       | 7762           | 387664       | 35.56%         |
| 6.834%                     |             |              |            |          |                |              |                |
| 5                          | 9.212       | 9.046        | 9.402      | BB       | 8155           | 438213       | 40.19%         |
| 7.725%                     |             |              |            |          |                |              |                |
| 6                          | 11.033      | 10.917       | 11.299     | VB       | 24461          | 1090261      | 100.00%        |
| 19.219%                    |             |              |            |          |                |              |                |
| 7                          | 13.442      | 13.248       | 13.502     | BV       | 7962           | 336964       | 30.91%         |
| 5.940%                     |             |              |            |          |                |              |                |
| 8                          | 13.572      | 13.502       | 13.749     | VB       | 15498          | 661936       | 60.71%         |
| 11.669%                    |             |              |            |          |                |              |                |
| 9                          | 14.295      | 14.116       | 14.403     | BV       | 13966          | 590832       | 54.19%         |
| 10.415%                    |             |              |            |          |                |              |                |
| 10                         | 16.548      | 16.437       | 16.660     | BV       | 9240           | 378746       | 34.74%         |
| 6.677%                     |             |              |            |          |                |              |                |

rteres

Sum of corrected areas:

5672730

FB060921.M Fri Jun 18 23:40:58 2021