

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB062022\
Data File : FB027467.D
Signal(s) : FID2B.CH
Acq On : 20 Jun 2022 17:13
Sample : 20 PPB GRO STD
Misc :
ALS Vial : 11 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB061022.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.709	4.534	4.853	PV	5606	433160	83.55%	14.165%
2	7.426	7.212	7.624	PV	5425	467821	90.23%	15.298%
3	7.752	7.624	7.818	VV	2711	146980	28.35%	4.806%
4	7.888	7.818	8.019	VV	3570	182163	35.14%	5.957%
5	8.794	8.649	8.948	VV	3755	206134	39.76%	6.741%
6	10.621	10.508	10.858	VV	11293	518457	100.00%	16.954%
7	13.058	12.859	13.120	PV	3666	160792	31.01%	5.258%
8	13.191	13.120	13.341	VV	7194	316586	61.06%	10.353%
9	13.918	13.756	14.026	BV	7013	311719	60.12%	10.193%
10	16.192	16.082	16.313	PV	7490	314221	60.61%	10.275%

Sum of corrected areas: 3058035

FB061022.M Tue Jun 21 09:11:10 2022