

nteres

Instrument :

FID_B

ClientSampleId :

WC-14A-1A-13-GR

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB06212
Data File : FB027474.D
Signal(s) : FID2B.CH
Acq On : 21 Jun 2022 16:40
Sample : N3422-11
Misc : 4.99G/5.00 ML DI WATER
ALS Vial : 7 Sample Multiplier: 1

Reviewed By :Yogesh Patel 06/22/2022
Supervised By :Ankita Jodhani 06/22/2022

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB061022.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.700	4.504	4.849	BV	4081	295925	29.66%	3.441%
2	5.038	4.849	5.215	VV	2905	218856	21.93%	2.545%
3	5.365	5.215	5.539	PV	3075	188213	18.86%	2.189%
4	5.941	5.539	6.143	VV	864	113196	11.35%	1.316%
5	6.378	6.143	6.561	VV	2828	197142	19.76%	2.292%
6	6.721	6.561	6.772	PV	326	21562	2.16%	0.251%
7	6.897	6.772	6.989	VV	3466	234924	23.55%	2.732%
8	7.155	6.989	7.270	VV	6072	510703	51.19%	5.939%
9	7.375	7.270	7.549	VV	3514	307904	30.86%	3.580%
10	7.758	7.549	7.960	VV	7294	639276	64.07%	7.434%
11	8.052	7.960	8.153	VV	370	32332	3.24%	0.376%
12	8.245	8.153	8.361	VV	645	48376	4.85%	0.563%
13	8.575	8.361	8.704	VV	2176	224493	22.50%	2.610%
14	8.857	8.704	9.163	VV	12905	997753	100.00%	11.602%
15	9.239	9.163	9.288	VV	1132	69617	6.98%	0.810%
16	9.398	9.288	9.549	VV	4897	415887	41.68%	4.836%
17	9.647	9.549	9.939	VV	4013	322548	32.33%	3.751%
18	10.037	9.939	10.057	VV	201	8419	0.84%	0.098%
19	10.198	10.057	10.257	VV	5772	364889	36.57%	4.243%
20	10.306	10.257	10.407	VV	5359	293751	29.44%	3.416%
21	10.501	10.407	10.616	VV	1977	161342	16.17%	1.876%
22	10.792	10.616	10.875	VV	2455	198266	19.87%	2.305%
23	10.967	10.875	11.089	VV	2544	197597	19.80%	2.298%
24	11.168	11.089	11.349	VV	1158	103498	10.37%	1.203%
25	11.446	11.349	11.522	VV	479	40962	4.11%	0.476%
26	11.759	11.522	11.832	VV	4431	432684	43.37%	5.031%
27	11.880	11.832	11.979	VV	3358	182270	18.27%	2.119%
28	12.092	11.979	12.250	VV	3066	194692	19.51%	2.264%
29	12.349	12.250	12.472	VV	207	18053	1.81%	0.210%
30	12.551	12.472	12.635	VV	201	14614	1.46%	0.170%
31	12.770	12.635	12.906	VV	4372	260980	26.16%	3.035%
32	13.024	12.906	13.131	VV	2296	195356	19.58%	2.272%
33	13.183	13.131	13.247	VV	1048	55179	5.53%	0.642%
34	13.325	13.247	13.431	VV	815	68248	6.84%	0.794%
35	13.545	13.431	13.693	VV	1933	155208	15.56%	1.805%
36	13.810	13.693	13.881	VV	1041	79642	7.98%	0.926%

rteres									
37	13.917	13.881	13.994	VV	718	37173	3.73%	0.432%	
38	14.103	13.994	14.339	VV	2348	246752			24
39	14.427	14.339	14.621	VV	792	66713			6
40	14.700	14.621	14.754	VV	261	18017			3
41	14.847	14.754	14.987	VV	561	59081			5
42	15.071	14.987	15.369	VV	1634	166981			16
43	15.418	15.369	15.445	VV	367	15761	1.58%	0.183%	
44	15.506	15.445	15.650	VV	616	42180	4.23%	0.490%	
45	15.684	15.650	15.708	VV	157	5278	0.53%	0.061%	
46	15.810	15.708	15.864	VV	248	18945	1.90%	0.220%	
47	15.949	15.864	16.159	VV	396	49499	4.96%	0.576%	
48	16.196	16.159	16.254	VBA	200	9070	0.91%	0.105%	
Sum of corrected areas:						8599806			

Instrument :
FID_B
ClientSampleId :
WC-14A-1A-13-GR

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/22/2022
Supervised By :Ankita Jodhani 06/22/2022

FB061022.M Wed Jun 22 09:16:48 2022