

rters

Instrument :

FID_B

ClientSampleId :

WC-14A-1A-12-GRMS

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB06212
Data File : FB027479.D
Signal(s) : FID2B.CH
Acq On : 21 Jun 2022 19:44
Sample : N3422-05MS
Misc : 5.07G/5.00 ML DI WATER
ALS Vial : 12 Sample Multiplier: 1

Reviewed By :Yogesh Patel 06/22/2022
Supervised By :Ankita Jodhani 06/22/2022

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB061022.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.706	4.504	4.836	BV	2668	201009	13.98%	1.626%
2	4.938	4.836	5.158	VV	1222	123442	8.58%	0.999%
3	5.165	5.158	5.168	VV	41	222	0.02%	0.002%
4	5.175	5.168	5.200	VV	46	483	0.03%	0.004%
5	5.355	5.200	5.529	VV	869	56953	3.96%	0.461%
6	5.545	5.529	5.567	PV	23	220	0.02%	0.002%
7	5.582	5.567	5.592	VV	24	178	0.01%	0.001%
8	5.600	5.592	5.623	VV	20	282	0.02%	0.002%
9	5.659	5.623	5.678	VV	40	973	0.07%	0.008%
10	5.719	5.678	5.758	VV	47	1472	0.10%	0.012%
11	5.772	5.758	5.784	VV	32	360	0.03%	0.003%
12	5.793	5.784	5.800	VV	29	204	0.01%	0.002%
13	5.821	5.800	5.829	VV	44	607	0.04%	0.005%
14	5.840	5.829	5.860	VV	53	828	0.06%	0.007%
15	5.875	5.860	5.884	VV	57	728	0.05%	0.006%
16	5.896	5.884	5.903	VV	68	639	0.04%	0.005%
17	5.914	5.903	5.931	VV	89	1165	0.08%	0.009%
18	5.945	5.931	5.954	VV	76	937	0.07%	0.008%
19	5.972	5.954	6.033	VV	89	3079	0.21%	0.025%
20	6.043	6.033	6.056	VV	55	661	0.05%	0.005%
21	6.067	6.056	6.085	VV	64	832	0.06%	0.007%
22	6.094	6.085	6.107	VV	45	533	0.04%	0.004%
23	6.176	6.107	6.185	VV	117	3350	0.23%	0.027%
24	6.194	6.185	6.246	VV	108	3123	0.22%	0.025%
25	6.371	6.246	6.508	VV	306	24101	1.68%	0.195%
26	6.524	6.508	6.539	VV	26	315	0.02%	0.003%
27	6.546	6.539	6.565	VV	16	158	0.01%	0.001%
28	6.574	6.565	6.595	VV	16	118	0.01%	0.001%
29	6.866	6.595	6.881	PV	456	39162	2.72%	0.317%
30	6.888	6.881	6.985	VV	452	16813	1.17%	0.136%
31	7.153	6.985	7.264	VV	694	61630	4.29%	0.499%
32	7.418	7.264	7.574	VV	1935	175962	12.24%	1.424%
33	7.758	7.574	7.802	VV	1288	89235	6.21%	0.722%
34	7.887	7.802	8.002	VV	3315	188806	13.13%	1.528%
35	8.011	8.002	8.035	VV	82	1429	0.10%	0.012%
36	8.052	8.035	8.117	VV	88	2651	0.18%	0.021%

37	8.134	8.117	8.146	VV	43	566	0.04%	0.005%
38	8.237	8.146	8.348	VV	180	11976		
39	8.357	8.348	8.362	PV	7	38		
40	8.586	8.362	8.687	VV	503	49341		
41	8.828	8.687	9.001	VV	3929	353714	24.00%	0.681%
42	9.238	9.150	9.304	VV	516	35304	2.00%	0.653%
43	9.407	9.304	9.553	VV	858	84153	5.85%	0.681%
44	9.649	9.553	9.938	VV	815	80728	5.61%	0.653%
45	9.954	9.938	9.973	VV	31	470	0.03%	0.004%
46	10.024	9.973	10.057	VV	46	1624	0.11%	0.013%
47	10.196	10.057	10.315	VV	2901	194054	13.49%	1.570%
48	10.496	10.315	10.541	VV	1476	113888	7.92%	0.922%
49	10.621	10.541	10.710	VV	8704	418666	29.11%	3.388%
50	10.792	10.710	10.878	VV	2049	133353	9.27%	1.079%
51	10.964	10.878	11.087	VV	1985	146642	10.20%	1.187%
52	11.168	11.087	11.355	VV	933	78595	5.47%	0.636%
53	11.441	11.355	11.517	VV	548	40109	2.79%	0.325%
54	11.757	11.517	11.968	VV	6727	783922	54.52%	6.343%
55	12.084	11.968	12.216	VV	3356	224918	15.64%	1.820%
56	12.341	12.216	12.457	VV	473	37262	2.59%	0.302%
57	12.553	12.457	12.628	PV	306	15969	1.11%	0.129%
58	12.777	12.628	12.902	VV	2427	204730	14.24%	1.657%
59	13.038	12.902	13.129	VV	8220	590751	41.08%	4.780%
60	13.187	13.129	13.253	VV	4168	196986	13.70%	1.594%
61	13.336	13.253	13.430	VV	2481	168007	11.68%	1.359%
62	13.542	13.430	13.669	VV	9082	566954	39.43%	4.587%
63	13.813	13.669	13.868	VV	6264	414522	28.83%	3.354%
64	13.919	13.868	13.998	VV	6351	312854	21.76%	2.531%
65	14.105	13.998	14.322	VV	14020	1187632	82.59%	9.610%
66	14.424	14.322	14.506	VV	3956	245600	17.08%	1.987%
67	14.537	14.506	14.623	VV	1097	43508	3.03%	0.352%
68	14.702	14.623	14.740	PV	1349	59413	4.13%	0.481%
69	14.837	14.740	14.984	VV	7990	571779	39.76%	4.626%
70	15.199	14.984	15.389	VV	10194	1437980	100.00%	11.635%
71	15.508	15.389	15.733	VV	12903	1045481	72.70%	8.459%
72	15.801	15.733	15.863	VV	3080	154966	10.78%	1.254%
73	15.949	15.863	16.100	VV	11032	662936	46.10%	5.364%
74	16.216	16.100	16.254	VBA	12897	686783	47.76%	5.557%
Sum of corrected areas:						12358838		

Instrument :
FID_B
ClientSampleId :
WC-14A-1A-12-GRMS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/22/2022
Supervised By :Ankita Jodhani 06/22/2022

FB061022.M Wed Jun 22 09:06:32 2022