

Instrument :

FID_B

ClientSampleId :

WC-14B-2-3-GRMS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/23/2022

Supervised By :Ankita Jodhani 06/23/2022

rteres

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB06222
 Data File : FB027495.D
 Signal(s) : FID2B.CH
 Acq On : 22 Jun 2022 17:06
 Sample : N3431-11MS
 Misc : 4.99G/5.00 ML DI WATER
 ALS Vial : 7 Sample Multiplier: 1

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB061022.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.711	4.504	4.841	BV	2963	225075	1.88%	0.203%
2	5.359	5.228	5.530	VV	972	61441	0.51%	0.055%
3	5.548	5.530	5.556	VV	31	215	0.00%	0.000%
4	5.564	5.556	5.584	VV	27	236	0.00%	0.000%
5	5.611	5.584	5.642	PV	30	707	0.01%	0.001%
6	5.662	5.642	5.673	VV	50	608	0.01%	0.001%
7	5.975	5.673	6.143	VV	1109	134114	1.12%	0.121%
8	6.310	6.143	6.476	VV	886	71394	0.60%	0.064%
9	6.488	6.476	6.501	VV	34	379	0.00%	0.000%
10	6.510	6.501	6.526	VV	31	281	0.00%	0.000%
11	6.540	6.526	6.548	PV	36	216	0.00%	0.000%
12	6.562	6.548	6.571	VV	26	213	0.00%	0.000%
13	6.757	6.571	6.906	VV	930	87903	0.74%	0.079%
14	7.084	6.906	7.272	VV	6640	616844	5.16%	0.557%
15	7.465	7.272	7.565	VV	8055	739538	6.19%	0.667%
16	7.814	7.565	8.011	VV	14352	2004348	16.76%	1.809%
17	8.243	8.011	8.360	PV	2952	216091	1.81%	0.195%
18	8.593	8.360	8.717	VV	15168	1465583	12.26%	1.323%
19	8.863	8.717	8.954	VV	32226	2493068	20.85%	2.250%
20	9.009	8.954	9.137	VV	16379	1227643	10.27%	1.108%
21	9.247	9.137	9.557	VV	18696	2126027	17.78%	1.919%
22	9.707	9.557	9.740	VV	9466	657405	5.50%	0.593%
23	9.795	9.740	9.945	VV	10152	733715	6.14%	0.662%
24	10.042	9.945	10.064	PV	2491	104201	0.87%	0.094%
25	10.200	10.064	10.320	VV	51915	3502311	29.29%	3.161%
26	10.501	10.320	10.597	VV	33402	2715647	22.71%	2.451%
27	10.620	10.597	10.675	VV	10767	452948	3.79%	0.409%
28	10.795	10.675	10.889	VV	42902	3047078	25.49%	2.750%
29	10.979	10.889	11.098	VV	27424	2309799	19.32%	2.085%
30	11.172	11.098	11.357	VV	15747	1522298	12.73%	1.374%
31	11.464	11.357	11.524	VV	10360	758561	6.34%	0.685%
32	11.744	11.524	11.962	VV	99962	11815259	98.82%	10.664%
33	12.065	11.962	12.216	VV	39397	2762315	23.10%	2.493%
34	12.338	12.216	12.454	VV	8105	668423	5.59%	0.603%
35	12.559	12.454	12.632	PV	6855	405856	3.39%	0.366%
36	12.771	12.632	12.903	VV	38470	3334032	27.89%	3.009%

rteres									
37	13.023	12.903	13.227	VV	89620	7314573	61.18%	6.602%	
38	13.340	13.227	13.433	VV	34407	2504220	20.00%	0.000%	
39	13.549	13.433	13.676	VV	98024	6752297	56.82%	0.000%	
40	13.816	13.676	13.999	VV	89692	7777642	65.00%	0.000%	
41	14.107	13.999	14.340	VV	144353	10670798	89.00%	0.000%	
42	14.430	14.340	14.520	PV	25065	1315357	11.00%	0.000%	
43	14.561	14.520	14.611	VV	2469	87976	0.74%	0.079%	
44	14.705	14.611	14.746	PV	15834	725894	6.07%	0.655%	
45	14.840	14.746	14.972	VV	78638	5207267	43.55%	4.700%	
46	15.183	14.972	15.397	VV	81598	11956103	100.00%	10.791%	
47	15.514	15.397	15.733	VV	92827	7318489	61.21%	6.605%	
48	15.806	15.733	15.878	VV	31261	1312329	10.98%	1.184%	
49	15.948	15.878	16.003	PV	25137	1057729	8.85%	0.955%	
50	16.045	16.003	16.120	VV	13050	537793	4.50%	0.485%	

Sum of corrected areas: 110800239

FB061022.M Thu Jun 23 10:02:28 2022

Instrument :
FID_B
ClientSampleId :
WC-14B-2-3-GRMS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/23/2022
Supervised By :Ankita Jodhani 06/23/2022