

rteres

Instrument :

FID_B

ClientSampleId :

WC-14B-2-5-GR

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB06222
 Data File : FB027499.D
 Signal(s) : FID2B.CH
 Acq On : 22 Jun 2022 19:32
 Sample : N3431-23
 Misc : 5.00G/5.00 ML DI WATER
 ALS Vial : 11 Sample Multiplier: 1

Reviewed By :Yogesh Patel 06/23/2022
 Supervised By :Ankita Jodhani 06/23/2022

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB061022.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.732	4.494	4.902	PV	468513	41275734	1.75%	0.278%
2	5.996	5.593	6.193	PV	498637	62226545	2.64%	0.419%
3	6.402	6.193	6.577	VV	132563	14671600	0.62%	0.099%
4	6.780	6.577	6.877	PV	181505	17034243	0.72%	0.115%
5	7.193	6.877	7.366	VV	2904252	373506516	15.84%	2.514%
6	7.519	7.366	7.597	VV	1531659	145844599	6.19%	0.982%
7	7.854	7.597	8.071	VV	5136868	684746758	29.05%	4.609%
8	8.107	8.071	8.138	VV	3532	97951	0.00%	0.001%
9	8.306	8.138	8.412	PV	348209	32016157	1.36%	0.216%
10	8.683	8.412	8.794	VV	3232420	398098001	16.89%	2.680%
11	8.969	8.794	9.225	VV	19534712	1867441802	79.21%	12.570%
12	9.330	9.225	9.438	VV	3990014	356996892	15.14%	2.403%
13	9.522	9.438	9.653	VV	2647854	257078296	10.90%	1.730%
14	9.788	9.653	10.024	VV	2594365	333295172	14.14%	2.243%
15	10.325	10.024	10.442	VV	14601170	1212677349	51.44%	8.163%
16	10.600	10.442	10.728	VV	7153603	626447771	26.57%	4.217%
17	10.894	10.728	10.982	VV	7812107	610742157	25.91%	4.111%
18	11.083	10.982	11.213	VV	8943653	701742389	29.77%	4.724%
19	11.309	11.213	11.534	VV	2732068	311548022	13.22%	2.097%
20	11.906	11.534	12.082	VV	22082448	2357491348	100.00%	15.869%
21	12.182	12.082	12.320	VV	5830650	336565458	14.28%	2.265%
22	12.423	12.320	12.531	VV	882305	62237077	2.64%	0.419%
23	12.627	12.531	12.714	PV	716771	45462697	1.93%	0.306%
24	12.901	12.714	12.998	VV	3361998	341847278	14.50%	2.301%
25	13.129	12.998	13.313	VV	9746933	774401501	32.85%	5.213%
26	13.428	13.313	13.527	VV	2207077	173036945	7.34%	1.165%
27	13.660	13.527	13.773	VV	8368289	552823976	23.45%	3.721%
28	13.944	13.773	14.091	VV	4237847	415554178	17.63%	2.797%
29	14.211	14.091	14.441	VV	12015942	842986364	35.76%	5.674%
30	14.572	14.441	14.691	VV	821762	84847171	3.60%	0.571%
31	14.791	14.691	14.827	VV	542546	31117854	1.32%	0.209%
32	14.930	14.827	15.064	VV	2403328	177845422	7.54%	1.197%
33	15.273	15.064	15.464	VV	3370738	392748530	16.66%	2.644%
34	15.578	15.464	15.790	VV	2264457	171353782	7.27%	1.153%
35	15.855	15.790	15.931	VV	469595	21227350	0.90%	0.143%
36	16.001	15.931	16.047	PV	347311	14441702	0.61%	0.097%

37 16.092 16.047 16.191 VV 250081 12759848
Sum of corrected areas: 148562

FB061022.M Thu Jun 23 10:07:26 2022

Instrument :

FID_B

ClientSampleId :

WC-14B-2-5-GR

0.54% 0.086%

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/23/2022

Supervised By :Ankita Jodhani 06/23/2022