

rteres

Instrument :

FID_B

ClientSampleId :

SP-EXC-2-3-GRMS

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB06232
 Data File : FB027529.D
 Signal(s) : FID2B.CH
 Acq On : 23 Jun 2022 22:57
 Sample : N3455-13MS 50X
 Misc : 5.07/5.00 ML MEOH
 ALS Vial : 19 Sample Multiplier: 1

Reviewed By :Yogesh Patel 06/24/2022

Supervised By :Ankita Jodhani 06/24/2022

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB061022.M

Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.703	4.504	4.852	BV	5384	407345	72.49%	10.865%
2	5.192	5.170	5.200	PV	13	94	0.02%	0.003%
3	5.213	5.200	5.222	VV	37	279	0.05%	0.007%
4	5.514	5.503	5.531	VV	20	157	0.03%	0.004%
5	5.550	5.531	5.561	PV	10	97	0.02%	0.003%
6	5.583	5.561	5.608	VV	16	277	0.05%	0.007%
7	5.617	5.608	5.626	VV	15	102	0.02%	0.003%
8	5.636	5.626	5.653	PV	16	175	0.03%	0.005%
9	5.662	5.653	5.667	VV	14	102	0.02%	0.003%
10	5.675	5.667	5.686	VV	21	149	0.03%	0.004%
11	5.695	5.686	5.714	VV	17	169	0.03%	0.005%
12	5.722	5.714	5.737	VV	14	138	0.02%	0.004%
13	5.769	5.737	5.826	VV	23	589	0.10%	0.016%
14	5.832	5.826	5.869	VV	13	188	0.03%	0.005%
15	5.879	5.869	5.902	VV	29	267	0.05%	0.007%
16	5.913	5.902	5.933	VV	26	229	0.04%	0.006%
17	5.946	5.933	5.956	PV	21	115	0.02%	0.003%
18	5.981	5.956	6.012	VV	22	408	0.07%	0.011%
19	6.099	6.012	6.107	VV	53	1730	0.31%	0.046%
20	6.119	6.107	6.131	VV	62	790	0.14%	0.021%
21	6.158	6.131	6.170	VV	73	1295	0.23%	0.035%
22	6.181	6.170	6.223	VV	49	1167	0.21%	0.031%
23	6.233	6.223	6.248	VV	26	243	0.04%	0.006%
24	6.257	6.248	6.266	VV	25	182	0.03%	0.005%
25	6.301	6.266	6.318	VV	51	935	0.17%	0.025%
26	6.339	6.318	6.362	VV	56	1204	0.21%	0.032%
27	6.371	6.362	6.397	VV	54	978	0.17%	0.026%
28	6.404	6.397	6.419	VV	46	514	0.09%	0.014%
29	6.425	6.419	6.449	VV	37	505	0.09%	0.013%
30	6.457	6.449	6.484	VV	22	275	0.05%	0.007%
31	6.508	6.484	6.517	VV	23	285	0.05%	0.008%
32	6.535	6.517	6.560	VV	17	240	0.04%	0.006%
33	6.600	6.560	6.609	VV	16	227	0.04%	0.006%
34	7.031	6.987	7.039	VV	70	1396	0.25%	0.037%
35	7.048	7.039	7.071	VV	64	1052	0.19%	0.028%
36	7.078	7.071	7.091	VV	54	560	0.10%	0.015%

37	7.105	7.091	7.119	VV	42	626	0.11%	0.017%
38	7.129	7.119	7.136	VV	37	365	0.06%	0.009%
39	7.148	7.136	7.201	VV	46	1308	0.08%	0.012%
40	7.207	7.201	7.218	VV	31	264	0.05%	0.007%
41	7.424	7.218	7.615	VV	5563	478649	85.12%	5.563%
42	7.749	7.615	7.816	VV	2866	158022	28.03%	1.580%
43	7.886	7.816	8.054	VV	3956	208574	37.12%	5.563%
44	8.089	8.054	8.129	VV	49	1674	0.30%	0.045%
45	8.145	8.129	8.164	VV	48	768	0.14%	0.020%
46	8.234	8.164	8.339	VV	76	4894	0.87%	0.131%
47	8.368	8.339	8.403	VV	42	1256	0.22%	0.034%
48	8.508	8.403	8.594	VV	94	6943	1.24%	0.185%
49	8.792	8.594	9.027	VV	3962	230775	41.07%	6.155%
50	9.038	9.027	9.052	VV	31	503	0.09%	0.013%
51	9.066	9.052	9.079	VV	47	573	0.10%	0.015%
52	9.119	9.079	9.158	VV	59	1775	0.32%	0.047%
53	9.169	9.158	9.188	VV	46	666	0.12%	0.018%
54	9.199	9.188	9.217	VV	38	536	0.10%	0.014%
55	9.357	9.217	9.436	VV	129	10123	1.80%	0.270%
56	9.450	9.436	9.572	VV	119	4553	0.81%	0.121%
57	9.660	9.572	9.711	VV	71	2652	0.47%	0.071%
58	9.759	9.711	9.774	VV	76	1967	0.35%	0.052%
59	9.788	9.774	9.856	VV	80	2961	0.53%	0.079%
60	9.941	9.856	10.054	VV	128	8148	1.45%	0.217%
61	10.398	10.054	10.510	VV	381	47513	8.46%	1.267%
62	10.620	10.510	10.754	VV	12249	561925	100.00%	14.988%
63	10.776	10.754	10.919	VV	117	7033	1.25%	0.188%
64	10.985	10.919	11.059	VV	73	4074	0.72%	0.109%
65	11.067	11.059	11.082	VV	42	359	0.06%	0.010%
66	11.095	11.082	11.120	VV	24	373	0.07%	0.010%
67	11.143	11.120	11.161	VV	36	644	0.11%	0.017%
68	11.174	11.161	11.228	VV	39	820	0.15%	0.022%
69	11.241	11.228	11.267	VV	14	330	0.06%	0.009%
70	11.287	11.267	11.303	VV	24	365	0.07%	0.010%
71	11.458	11.303	11.618	VV	342	30703	5.46%	0.819%
72	11.728	11.618	11.824	VV	170	15682	2.79%	0.418%
73	11.836	11.824	11.848	VV	122	1517	0.27%	0.040%
74	11.870	11.848	11.974	VV	117	5160	0.92%	0.138%
75	12.073	11.974	12.208	VV	115	7717	1.37%	0.206%
76	12.240	12.208	12.267	VV	49	919	0.16%	0.025%
77	12.330	12.267	12.431	VV	43	2716	0.48%	0.072%
78	12.512	12.431	12.592	PV	31	1551	0.28%	0.041%
79	12.626	12.592	12.663	VV	41	1302	0.23%	0.035%
80	12.774	12.663	12.848	VV	178	11202	1.99%	0.299%
81	12.968	12.848	12.998	VV	1922	74908	13.33%	1.998%
82	13.056	12.998	13.119	VV	4136	186115	33.12%	4.964%
83	13.189	13.119	13.296	VV	7781	339457	60.41%	9.054%
84	13.333	13.296	13.427	VV	110	6025	1.07%	0.161%
85	13.556	13.427	13.667	VV	257	17541	3.12%	0.468%
86	13.916	13.667	14.017	PV	7376	346271	61.62%	9.236%
87	14.112	14.017	14.337	VV	678	59175	10.53%	1.578%
88	14.421	14.337	14.502	VV	144	7695	1.37%	0.205%
89	14.547	14.502	14.604	VV	40	1653	0.29%	0.044%

Instrument :

FID_B

ClientSampleId :

SP-EXC-2-3-GRMS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/24/2022
Supervised By :Ankita Jodhani 06/24/2022

90	14.703	14.604	14.743	PV	59	2899
91	14.833	14.743	14.952	VV	327	23363
92	14.964	14.952	14.980	VV	90	1458
93	15.082	14.980	15.162	VV	341	27118
94	15.221	15.162	15.395	VV	331	32617
95	15.511	15.395	15.688	VV	338	28713
96	15.801	15.688	15.874	VV	113	6737
97	15.959	15.874	16.002	VV	167	8403
98	16.037	16.002	16.088	VV	133	6110
99	16.192	16.088	16.252	VBA	7636	318046
Sum of corrected areas:						3749246

Instrument :
FID_B
ClientSampleId :
SP-EXC-2-3-GRMS

0.52% 0.077%

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/24/2022
Supervised By :Ankita Jodhani 06/24/2022

FB061022.M Fri Jun 24 03:49:35 2022