

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB062918\  
Data File : FB016505.D  
Signal(s) : FID2B.CH  
Acq On : 30 Jun 2018 7:49  
Sample : J3745-01  
Misc : 6.22g/5.00mL DI Water  
ALS Vial : 44 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB060118.M  
Title :

Signal : FID2B.CH

| peak<br>#               | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-------------------------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1                       | 5.166       | 5.083        | 5.233      | VV       | 480            | 24669        | 23.63%         | 12.914%       |
| 2                       | 5.241       | 5.233        | 5.355      | VV       | 239            | 7485         | 7.17%          | 3.918%        |
| 3                       | 5.649       | 5.531        | 5.774      | BV       | 690            | 40961        | 39.24%         | 21.443%       |
| 4                       | 8.209       | 8.138        | 8.284      | VV       | 119            | 6749         | 6.47%          | 3.533%        |
| 5                       | 9.114       | 8.956        | 9.232      | PV       | 1896           | 104385       | 100.00%        | 54.645%       |
| 6                       | 10.947      | 10.899       | 10.963     | PV       | 44             | 558          | 0.53%          | 0.292%        |
| 7                       | 11.754      | 11.700       | 11.825     | PV       | 88             | 3426         | 3.28%          | 1.794%        |
| 8                       | 15.426      | 15.391       | 15.464     | VV       | 98             | 2790         | 2.67%          | 1.461%        |
| Sum of corrected areas: |             |              |            |          |                |              | 191022         |               |

FB060118.M Mon Jul 02 10:34:26 2018