

rteres

Instrument :

FID_B

ClientSampleId :

WC-14B-11-3-GR

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB07012
 Data File : FB027610.D
 Signal(s) : FID2B.CH
 Acq On : 2 Jul 2022 1:19
 Sample : N3564-14
 Misc : 5.07G/5.00 ML DI WATER
 ALS Vial : 26 Sample Multiplier: 1

Reviewed By :Yogesh Patel 07/05/2022
 Supervised By :Ankita Jodhani 07/05/2022

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB061022.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.305	4.253	4.315	BV	1	-97	-0.00%	-0.000%
2	4.321	4.315	4.351	PV	3	48	0.00%	0.000%
3	4.362	4.351	4.376	PV	16	85	0.00%	0.000%
4	4.399	4.376	4.410	PV	41	305	0.00%	0.000%
5	4.420	4.410	4.435	VV	28	248	0.00%	0.000%
6	4.442	4.435	4.453	VV	12	77	0.00%	0.000%
7	4.481	4.453	4.491	PV	15	210	0.00%	0.000%
8	4.705	4.491	4.876	PV	29070	2120395	24.46%	2.008%
9	5.731	5.539	5.895	VV	6680	583455	6.73%	0.552%
10	5.958	5.895	6.020	VV	3045	207040	2.39%	0.196%
11	6.075	6.020	6.212	VV	3022	194792	2.25%	0.184%
12	6.381	6.212	6.580	VV	39731	2664027	30.73%	2.522%
13	6.737	6.580	6.768	PV	1457	81733	0.94%	0.077%
14	6.902	6.768	6.994	VV	29139	1938346	22.36%	1.835%
15	7.156	6.994	7.272	VV	47423	4155943	47.94%	3.935%
16	7.379	7.272	7.547	VV	37567	3089481	35.64%	2.925%
17	7.764	7.547	7.959	VV	74235	7094543	81.84%	6.717%
18	8.062	7.959	8.157	VV	8576	564060	6.51%	0.534%
19	8.261	8.157	8.373	VV	12783	860529	9.93%	0.815%
20	8.585	8.373	8.705	VV	18160	1765973	20.37%	1.672%
21	8.862	8.705	8.978	VV	110006	7634325	88.06%	7.228%
22	9.080	8.978	9.163	VV	21020	1889009	21.79%	1.788%
23	9.246	9.163	9.299	VV	20465	1301239	15.01%	1.232%
24	9.402	9.299	9.555	VV	67063	5405377	62.35%	5.118%
25	9.657	9.555	9.951	VV	44409	4051986	46.74%	3.836%
26	10.201	9.951	10.248	VV	59636	3708739	42.78%	3.511%
27	10.311	10.248	10.411	VV	89310	5187562	59.84%	4.911%
28	10.506	10.411	10.642	VV	36454	3121997	36.01%	2.956%
29	10.799	10.642	10.877	VV	33363	2553134	29.45%	2.417%
30	10.966	10.877	11.116	VV	40751	3611676	41.66%	3.419%
31	11.174	11.116	11.343	VV	14457	1230653	14.20%	1.165%
32	11.447	11.343	11.505	VV	5551	460090	5.31%	0.436%
33	11.763	11.505	11.839	VV	80027	8669170	100.00%	8.208%
34	11.881	11.839	11.985	VV	55441	2964574	34.20%	2.807%
35	12.096	11.985	12.261	VV	56343	3527239	40.69%	3.340%
36	12.365	12.261	12.476	VV	6343	576413	6.65%	0.546%

				rters			
37	12.558	12.476	12.647	VV	5084	419563	4.84% 0.397%
38	12.775	12.647	12.910	VV	72102	4580398	52
39	13.021	12.910	13.240	VV	40787	3784793	43
40	13.337	13.240	13.434	VV	10934	913427	10
41	13.550	13.434	13.688	VV	38532	2786496	32
42	13.818	13.688	13.997	VV	20816	1999382	23
43	14.106	13.997	14.348	VV	45251	4391686	50.66% 4.158%
44	14.430	14.348	14.517	VV	11929	743245	8.57% 0.704%
45	14.570	14.517	14.662	VV	4208	329503	3.80% 0.312%
46	14.692	14.662	14.748	VV	3362	157930	1.82% 0.150%
47	14.844	14.748	14.996	VV	10708	984461	11.36% 0.932%
48	15.077	14.996	15.380	VV	22347	2378428	27.44% 2.252%
49	15.511	15.380	15.738	VV	9045	725631	8.37% 0.687%
50	15.801	15.738	15.875	VV	1464	68053	0.78% 0.064%
51	15.951	15.875	16.007	VV	1612	73051	0.84% 0.069%
52	16.039	16.007	16.147	VV	947	44749	0.52% 0.042%
53	16.214	16.147	16.240	PV	483	14701	0.17% 0.014%
54	16.288	16.240	16.320	VV	338	11460	0.13% 0.011%
Sum of corrected areas:					105621331		

Instrument :
FID_B
ClientSampleId :
WC-14B-11-3-GR

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 07/05/2022
Supervised By :Ankita Jodhani 07/05/2022

FB061022.M Tue Jul 05 11:13:41 2022