

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB070522\
Data File : FB027622.D
Signal(s) : FID2B.CH
Acq On : 5 Jul 2022 11:26
Sample : BSF0705S1
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB061022.M
Title :

Signal : FID2B.CH

peak #	R. T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.709	4.531	4.856	PV	6899	531407	84.04%	14.504%
2	7.425	7.209	7.624	BV	6531	554325	87.66%	15.130%
3	7.752	7.624	7.818	VV	3531	189408	29.95%	5.170%
4	7.888	7.818	8.005	VV	4376	222899	35.25%	6.084%
5	8.794	8.661	8.971	PV	4073	224056	35.43%	6.115%
6	10.621	10.498	10.908	PB	13884	632357	100.00%	17.260%
7	13.057	12.946	13.118	VV	4447	193746	30.64%	5.288%
8	13.189	13.118	13.366	VV	8723	383129	60.59%	10.457%
9	13.916	13.733	14.020	BV	8339	371005	58.67%	10.126%
10	16.191	16.057	16.307	PV	8609	361436	57.16%	9.865%

Sum of corrected areas: 3663770

FB061022.M Wed Jul 06 18:09:07 2022