

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB070618\
 Data File : FB016563.D
 Signal(s) : FID2B.CH
 Acq On : 6 Jul 2018 11:27
 Sample : J3852-03
 Misc : 5.01g/5.00mL DI Water
 ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB070218.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	5.174	5.085	5.296	PV	936	54628	30.67%	13.122%
2	5.405	5.356	5.413	VV	139	3329	1.87%	0.800%
3	5.423	5.413	5.430	VV	158	1445	0.81%	0.347%
4	5.658	5.547	5.826	VV	1645	101891	57.20%	24.474%
5	6.482	6.403	6.533	VV	106	4293	2.41%	1.031%
6	6.596	6.533	6.657	PV	125	5166	2.90%	1.241%
7	7.955	7.900	7.999	VV	97	4010	2.25%	0.963%
8	8.220	8.167	8.281	PV	158	6377	3.58%	1.532%
9	9.125	8.998	9.284	PV	3223	178136	100.00%	42.788%
10	10.249	10.235	10.296	VV	125	2594	1.46%	0.623%
11	10.526	10.509	10.539	PV	113	1120	0.63%	0.269%
12	10.621	10.539	10.666	VV	167	7395	4.15%	1.776%
13	10.676	10.666	10.724	VV	110	2565	1.44%	0.616%
14	10.737	10.724	10.769	VV	79	1277	0.72%	0.307%
15	11.767	11.708	11.796	PV	71	2215	1.24%	0.532%
16	13.128	13.100	13.149	VV	141	2528	1.42%	0.607%
17	13.174	13.149	13.182	VV	129	1987	1.12%	0.477%
18	13.204	13.182	13.252	VV	145	3669	2.06%	0.881%
19	13.330	13.310	13.382	VV	127	2933	1.65%	0.705%
20	14.234	14.212	14.279	VV	147	3561	2.00%	0.855%
21	14.427	14.364	14.436	VV	154	4162	2.34%	1.000%
22	14.461	14.436	14.497	VV	199	5559	3.12%	1.335%
23	15.437	15.373	15.512	VV	195	10420	5.85%	2.503%
24	16.052	15.996	16.060	PV	71	1633	0.92%	0.392%
25	16.073	16.060	16.091	VV	73	911	0.51%	0.219%
26	16.530	16.495	16.589	VV	116	2515	1.41%	0.604%
Sum of corrected areas:							416319	

FB070218.M Mon Jul 09 08:52:39 2018