

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB070618\
 Data File : FB016564.D
 Signal(s) : FID2B.CH
 Acq On : 6 Jul 2018 12:00
 Sample : J3852-02
 Misc : 5.00g/5.00mL DI Water
 ALS Vial : 5 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB070218.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.944	4.910	4.955	PV	110	1724	0.93%	0.430%
2	5.182	5.088	5.355	VV	905	58641	31.65%	14.624%
3	5.421	5.355	5.472	VV	151	6295	3.40%	1.570%
4	5.665	5.534	5.784	VV	1593	99270	53.58%	24.756%
5	5.899	5.852	5.945	VV	125	2920	1.58%	0.728%
6	6.674	6.653	6.727	VV	131	3278	1.77%	0.818%
7	7.331	7.305	7.364	PV	97	1426	0.77%	0.355%
8	8.204	8.164	8.223	PV	139	2887	1.56%	0.720%
9	8.233	8.223	8.284	VV	138	3127	1.69%	0.780%
10	9.128	9.003	9.260	VV	3427	185284	100.00%	46.205%
11	10.267	10.216	10.284	PV	79	1804	0.97%	0.450%
12	10.599	10.559	10.607	PV	114	1595	0.86%	0.398%
13	10.626	10.607	10.691	VV	174	5685	3.07%	1.418%
14	10.756	10.726	10.811	VV	110	3272	1.77%	0.816%
15	11.772	11.748	11.808	VV	129	3363	1.81%	0.839%
16	12.642	12.625	12.660	PV	112	1476	0.80%	0.368%
17	12.735	12.706	12.749	VV	117	1368	0.74%	0.341%
18	13.561	13.521	13.585	PV	62	1280	0.69%	0.319%
19	14.223	14.183	14.254	VV	121	2795	1.51%	0.697%
20	14.425	14.385	14.449	VV	92	2207	1.19%	0.550%
21	14.478	14.449	14.493	VV	58	1145	0.62%	0.285%
22	15.368	15.323	15.379	PV	93	2100	1.13%	0.524%
23	15.433	15.379	15.483	VV	159	6764	3.65%	1.687%
24	15.500	15.483	15.518	VV	107	1296	0.70%	0.323%
Sum of corrected areas:							401002	

FB070218.M Mon Jul 09 08:53:17 2018