

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB070618\
Data File : FB016567.D
Signal(s) : FID2B.CH
Acq On : 6 Jul 2018 13:40
Sample : J3852-07
Misc : 5.00g/5.00mL DI Water
ALS Vial : 8 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB070218.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	5.178	5.052	5.335	BV	958	67271	38.68%	16.373%
2	5.661	5.519	5.789	VV	1587	100230	57.63%	24.395%
3	6.028	6.004	6.053	VV	162	2589	1.49%	0.630%
4	6.070	6.053	6.096	PV	101	1527	0.88%	0.372%
5	6.143	6.131	6.154	PV	74	453	0.26%	0.110%
6	6.491	6.449	6.522	BV	136	2377	1.37%	0.578%
7	7.341	7.307	7.374	PV	91	1283	0.74%	0.312%
8	8.220	8.177	8.242	PV	88	1686	0.97%	0.410%
9	9.129	8.988	9.238	PV	3257	173911	100.00%	42.329%
10	9.781	9.748	9.839	PV	77	1597	0.92%	0.389%
11	10.268	10.245	10.289	VV	88	1321	0.76%	0.322%
12	10.656	10.577	10.684	PV	140	4503	2.59%	1.096%
13	10.746	10.684	10.761	VV	102	3547	2.04%	0.863%
14	10.777	10.761	10.814	VV	96	1672	0.96%	0.407%
15	10.993	10.925	11.044	BV	140	4523	2.60%	1.101%
16	11.113	11.073	11.131	PV	115	2208	1.27%	0.537%
17	11.841	11.814	11.857	PV	93	1072	0.62%	0.261%
18	12.641	12.576	12.662	PV	118	3404	1.96%	0.829%
19	12.753	12.679	12.768	VV	165	4519	2.60%	1.100%
20	13.559	13.535	13.580	VV	141	2711	1.56%	0.660%
21	13.739	13.720	13.836	PV	112	3533	2.03%	0.860%
22	14.433	14.406	14.440	VV	156	1985	1.14%	0.483%
23	14.454	14.440	14.467	VV	180	2540	1.46%	0.618%
24	14.756	14.732	14.767	PV	103	1102	0.63%	0.268%
25	14.800	14.767	14.815	VV	110	1916	1.10%	0.466%
26	15.159	15.121	15.199	VV	112	2343	1.35%	0.570%
27	15.423	15.389	15.506	VV	157	6000	3.45%	1.460%
28	16.073	16.041	16.105	VV	148	3674	2.11%	0.894%
29	16.278	16.203	16.306	PV	107	3326	1.91%	0.810%
30	16.493	16.436	16.508	VV	83	2031	1.17%	0.494%

Sum of corrected areas: 410855

FB070218.M Mon Jul 09 08:55:14 2018