

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB070618\
 Data File : FB016570.D
 Signal(s) : FID2B.CH
 Acq On : 6 Jul 2018 15:17
 Sample : J3854-03
 Misc : 5.01g/5.00mL DI Water
 ALS Vial : 11 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB070218.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	5.177	5.079	5.372	PV	823	55955	32.19%	14.922%
2	5.658	5.510	5.765	PV	1356	81630	46.96%	21.768%
3	7.505	7.418	7.530	PV	131	5123	2.95%	1.366%
4	7.669	7.615	7.714	PV	146	5447	3.13%	1.453%
5	7.761	7.714	7.794	VV	150	3941	2.27%	1.051%
6	7.836	7.805	7.858	VV	133	3516	2.02%	0.938%
7	8.090	8.055	8.130	PV	112	3340	1.92%	0.891%
8	8.223	8.163	8.231	PV	39	1325	0.76%	0.353%
9	9.127	8.973	9.262	PV	3094	173825	100.00%	46.354%
10	10.231	10.202	10.254	PV	129	2866	1.65%	0.764%
11	10.644	10.560	10.653	VV	130	5593	3.22%	1.492%
12	10.951	10.927	10.964	VV	118	1575	0.91%	0.420%
13	11.435	11.362	11.451	VV	128	3894	2.24%	1.039%
14	11.712	11.685	11.727	PV	113	2039	1.17%	0.544%
15	11.821	11.801	11.891	PV	125	3211	1.85%	0.856%
16	13.911	13.878	13.959	PV	109	2543	1.46%	0.678%
17	14.418	14.335	14.446	PV	136	6006	3.46%	1.602%
18	14.464	14.446	14.479	VV	166	2652	1.53%	0.707%
19	14.492	14.479	14.545	VV	150	3545	2.04%	0.945%
20	15.416	15.332	15.448	PV	128	5592	3.22%	1.491%
21	15.456	15.448	15.495	VV	113	1379	0.79%	0.368%
Sum of corrected areas:							374998	

FB070218.M Mon Jul 09 08:57:14 2018