

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB070618\
Data File : FB016571.D
Signal(s) : FID2B.CH
Acq On : 6 Jul 2018 15:48
Sample : J3854-02
Misc : 5.01g/5.00mL DI Water
ALS Vial : 12 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB070218.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	5.174	5.055	5.365	VV	936	67266	36.48%	16.121%
2	5.662	5.529	5.801	PV	1536	95600	51.85%	22.911%
3	7.332	7.277	7.343	PV	121	2882	1.56%	0.691%
4	7.511	7.494	7.519	PV	58	573	0.31%	0.137%
5	7.736	7.681	7.756	PV	83	2124	1.15%	0.509%
6	8.216	8.179	8.247	VV	141	3745	2.03%	0.898%
7	8.822	8.711	8.848	PV	108	5993	3.25%	1.436%
8	9.125	9.005	9.269	VV	3326	184385	100.00%	44.190%
9	9.796	9.734	9.807	PV	73	1227	0.67%	0.294%
10	10.249	10.189	10.276	VV	125	3819	2.07%	0.915%
11	10.616	10.562	10.624	PV	90	2049	1.11%	0.491%
12	10.692	10.624	10.727	VV	128	6009	3.26%	1.440%
13	10.737	10.727	10.763	VV	109	1663	0.90%	0.398%
14	10.776	10.763	10.805	VV	95	1268	0.69%	0.304%
15	11.348	11.311	11.387	PV	95	2256	1.22%	0.541%
16	13.112	13.065	13.122	PV	109	1839	1.00%	0.441%
17	13.150	13.122	13.171	VV	128	3089	1.68%	0.740%
18	13.437	13.421	13.497	PV	112	3071	1.67%	0.736%
19	13.526	13.497	13.600	VV	88	3068	1.66%	0.735%
20	14.368	14.301	14.376	BV	118	2488	1.35%	0.596%
21	14.387	14.376	14.396	VV	139	1482	0.80%	0.355%
22	14.465	14.425	14.554	VV	216	10458	5.67%	2.506%
23	15.422	15.393	15.515	VV	200	7350	3.99%	1.761%
24	15.750	15.701	15.767	PV	63	1177	0.64%	0.282%
25	16.599	16.546	16.636	PV	84	2379	1.29%	0.570%

Sum of corrected areas: 417260

FB070218.M Mon Jul 09 08:58:04 2018