

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB070618\
 Data File : FB016572.D
 Signal(s) : FID2B.CH
 Acq On : 6 Jul 2018 16:20
 Sample : J3854-01
 Misc : 5.01g/5.00mL DI Water
 ALS Vial : 13 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB070218.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	5.163	5.071	5.363	PV	1050	73099	45.37%	18.204%
2	5.655	5.481	5.789	VV	1671	103070	63.98%	25.667%
3	6.474	6.416	6.522	VV	91	3440	2.14%	0.857%
4	7.327	7.265	7.364	PV	133	4694	2.91%	1.169%
5	8.224	8.158	8.283	VV	155	7448	4.62%	1.855%
6	8.338	8.283	8.392	PV	109	4763	2.96%	1.186%
7	8.686	8.647	8.718	PV	99	2311	1.43%	0.576%
8	9.123	9.018	9.294	BV	2965	161101	100.00%	40.119%
9	9.523	9.494	9.536	PV	101	1425	0.88%	0.355%
10	10.244	10.235	10.309	VV	127	3830	2.38%	0.954%
11	10.642	10.577	10.669	PV	116	4262	2.65%	1.061%
12	10.685	10.669	10.699	VV	68	777	0.48%	0.193%
13	10.726	10.699	10.737	PV	72	758	0.47%	0.189%
14	14.409	14.328	14.418	PV	165	5462	3.39%	1.360%
15	14.459	14.418	14.491	VV	210	7365	4.57%	1.834%
16	14.498	14.491	14.561	VV	156	3359	2.08%	0.836%
17	15.431	15.248	15.512	PV	143	10564	6.56%	2.631%
18	16.499	16.471	16.509	VV	105	1658	1.03%	0.413%
19	16.619	16.590	16.670	PV	93	2176	1.35%	0.542%
Sum of corrected areas:							401560	

FB070218.M Mon Jul 09 08:58:42 2018