

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB070720\
Data File : FB024539.D
Signal(s) : FID2B.CH
Acq On : 7 Jul 2020 9:56
Sample : BSF0707S1
Misc : 5.00gm/5.00ml DI WATER
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB060920.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.684	4.530	4.813	VV	14090	999495	81.48%	14.086%
2	7.415	7.208	7.623	PV	13126	1097582	89.48%	15.469%
3	7.755	7.623	7.821	VV	6557	359013	29.27%	5.060%
4	7.889	7.821	8.018	VV	8171	424556	34.61%	5.983%
5	8.796	8.658	8.994	PV	8954	499776	40.74%	7.043%
6	10.628	10.515	10.810	VV	26548	1226661	100.00%	17.288%
7	13.068	12.901	13.129	VV	8736	383769	31.29%	5.409%
8	13.201	13.129	13.415	VV	16923	750318	61.17%	10.574%
9	13.928	13.710	14.045	BV	16475	732817	59.74%	10.328%
10	16.206	16.098	16.347	VV	14766	621586	50.67%	8.760%

Sum of corrected areas: 7095573

FB060920.M Wed Jul 08 08:19:23 2020