

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB070820\
Data File : FB024547.D
Signal(s) : FID2B.CH
Acq On : 8 Jul 2020 10:15
Sample : BSF0708S1
Misc : 5.01gm/5.00ml DI WATER
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB060920.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.688	4.517	4.817	BV	13890	984064	81.69%	14.157%
2	7.416	7.211	7.636	BV	12835	1073435	89.11%	15.443%
3	7.757	7.636	7.824	VV	6450	354922	29.46%	5.106%
4	7.891	7.824	8.163	VV	8068	427109	35.46%	6.145%
5	8.799	8.664	9.076	BV	9272	521444	43.29%	7.502%
6	10.629	10.516	10.795	VV	26084	1204638	100.00%	17.331%
7	13.069	12.945	13.131	BV	8309	362831	30.12%	5.220%
8	13.202	13.131	13.362	VV	16196	717103	59.53%	10.317%
9	13.930	13.718	14.046	PV	15897	705333	58.55%	10.147%
10	16.207	16.085	16.338	PV	14219	599964	49.80%	8.632%

Sum of corrected areas: 6950843

FB060920.M Thu Jul 09 09:19:18 2020