

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB070822\
Data File : FB027644.D
Signal(s) : FID2B.CH
Acq On : 8 Jul 2022 17:32
Sample : 5 GRO STD
Misc :
ALS Vial : 6 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB070822.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.714	4.540	4.846	PV	2456	191109	100.00%	16.907%
2	7.431	7.231	7.629	PV	2008	171883	89.94%	15.206%
3	7.756	7.629	7.827	VV	1081	59462	31.11%	5.260%
4	7.894	7.827	8.011	VV	1223	63383	33.17%	5.607%
5	8.798	8.679	8.957	PV	1004	55642	29.12%	4.922%
6	10.627	10.532	10.736	VV	4039	183285	95.91%	16.215%
7	13.062	12.971	13.125	BV	1330	57753	30.22%	5.109%
8	13.195	13.125	13.330	VV	2639	116200	60.80%	10.280%
9	13.923	13.733	14.018	BV	2514	113537	59.41%	10.044%
10	16.197	16.098	16.330	PV	2773	118116	61.81%	10.449%

Sum of corrected areas: 1130370

FB070822.M Mon Jul 11 13:56:37 2022