

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB071122\
Data File : FB027647.D
Signal(s) : FID2B.CH
Acq On : 11 Jul 2022 12:11
Sample : 5 GRO STD
Misc :
ALS Vial : 1 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB071122.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.709	4.535	4.846	PV	2211	171347	100.00%	16.681%
2	7.416	7.247	7.613	PV	1797	152883	89.22%	14.883%
3	7.745	7.636	7.816	VV	929	49867	29.10%	4.855%
4	7.885	7.816	8.002	VV	1122	56603	33.03%	5.510%
5	8.787	8.655	8.926	PV	1064	58622	34.21%	5.707%
6	10.617	10.516	10.734	VV	3581	162361	94.76%	15.806%
7	13.054	12.915	13.115	BV	1197	51611	30.12%	5.024%
8	13.188	13.115	13.358	VV	2386	105684	61.68%	10.288%
9	13.914	13.773	14.009	PV	2336	105225	61.41%	10.244%
10	16.189	16.091	16.311	PV	2670	113021	65.96%	11.003%

Sum of corrected areas: 1027225

FB071122.M Tue Jul 12 14:21:30 2022