

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB071125\
Data File : FB032096.D
Signal(s) : FID2B.CH
Acq On : 11 Jul 2025 14:36
Sample : BSF0711S2
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 11 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB062325.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.717	4.554	4.862	BV	7420	541618	59.55%	11.133%
2	7.429	7.237	7.650	PV	8442	731525	80.43%	15.037%
3	7.760	7.650	7.826	VV	3738	203001	22.32%	4.173%
4	7.899	7.826	8.147	VV	5661	303632	33.38%	6.241%
5	8.801	8.612	8.992	BV	5975	336566	37.00%	6.918%
6	10.630	10.517	10.956	PV	18475	909570	100.00%	18.696%
7	13.066	12.954	13.127	VV	5988	271293	29.83%	5.576%
8	13.199	13.127	13.416	VV	11784	566156	62.24%	11.637%
9	13.926	13.711	14.053	BV	11437	543587	59.76%	11.173%
10	16.201	16.049	16.401	BBA	10586	458040	50.36%	9.415%

Sum of corrected areas: 4864986

FB062325.M Sat Jul 12 00:58:34 2025