

rteres

Instrument :  
FID\_B  
ClientSampleId :  
BSF0712W1  
Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB07122  
Data File : FB030174.D  
Signal(s) : FID2B.CH  
Acq On : 12 Jul 2023 14:13  
Sample : BSF0712W1  
Misc :  
ALS Vial : 9 Sample Multiplier: 1

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 07/13/2023  
Supervised By :Ankita Jodhani 07/13/2023

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB062623.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.713       | 4.539        | 4.858      | M        | 6881           | 543025       | 74.51%         | 12.969%       |
| 2         | 7.423       | 7.218        | 7.638      | PV       | 7594           | 640117       | 87.83%         | 15.288%       |
| 3         | 7.753       | 7.638        | 7.820      | VV       | 3845           | 209136       | 28.70%         | 4.995%        |
| 4         | 7.889       | 7.820        | 8.021      | VV       | 5044           | 256751       | 35.23%         | 6.132%        |
| 5         | 8.794       | 8.559        | 9.060      | PB       | 4665           | 257853       | 35.38%         | 6.158%        |
| 6         | 10.622      | 10.481       | 10.791     | PV       | 16035          | 728803       | 100.00%        | 17.406%       |
| 7         | 13.058      | 12.954       | 13.120     | VV       | 5247           | 228113       | 31.30%         | 5.448%        |
| 8         | 13.191      | 13.120       | 13.380     | VV       | 10382          | 455307       | 62.47%         | 10.874%       |
| 9         | 13.918      | 13.700       | 14.028     | BV       | 10047          | 443865       | 60.90%         | 10.601%       |
| 10        | 16.192      | 16.052       | 16.310     | PV       | 10142          | 423996       | 58.18%         | 10.127%       |

Sum of corrected areas: 4186966

FB062623.M Thu Jul 13 01:56:38 2023