

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB071420\  
Data File : FB024590.D  
Signal(s) : FID2B.CH  
Acq On : 14 Jul 2020 9:30  
Sample : BSF0714S1  
Misc : 5.02g/5.00ml DI WATER  
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB070920.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.687       | 4.525        | 4.815      | PV       | 10967          | 782794       | 82.77%         | 14.403%       |
| 2         | 7.416       | 7.222        | 7.623      | BV       | 10047          | 838437       | 88.65%         | 15.427%       |
| 3         | 7.756       | 7.623        | 7.823      | VV       | 5099           | 281357       | 29.75%         | 5.177%        |
| 4         | 7.890       | 7.823        | 8.041      | VV       | 6278           | 332013       | 35.10%         | 6.109%        |
| 5         | 8.797       | 8.648        | 8.959      | PV       | 6880           | 385620       | 40.77%         | 7.095%        |
| 6         | 10.629      | 10.526       | 10.946     | VV       | 20265          | 945798       | 100.00%        | 17.403%       |
| 7         | 13.069      | 12.875       | 13.130     | BV       | 6556           | 285144       | 30.15%         | 5.247%        |
| 8         | 13.202      | 13.130       | 13.371     | VV       | 12717          | 563596       | 59.59%         | 10.370%       |
| 9         | 13.929      | 13.783       | 14.039     | VV       | 12370          | 556035       | 58.79%         | 10.231%       |
| 10        | 16.207      | 16.070       | 16.382     | VV       | 10934          | 464021       | 49.06%         | 8.538%        |

Sum of corrected areas: 5434816

FB070920.M Wed Jul 15 09:34:06 2020