

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB071522\
Data File : FB027665.D
Signal(s) : FID2B.CH
Acq On : 15 Jul 2022 17:46
Sample : BSF0717S2
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 13 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB071122.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.717	4.498	4.853	BV	6587	512353	90.80%	14.966%
2	7.434	7.226	7.643	VV	6157	538485	95.43%	15.729%
3	7.754	7.643	7.822	VV	3147	169573	30.05%	4.953%
4	7.891	7.822	8.011	VV	3824	194185	34.41%	5.672%
5	8.795	8.626	9.013	PV	4090	226428	40.13%	6.614%
6	10.624	10.512	10.769	VV	12458	564267	100.00%	16.482%
7	13.061	12.829	13.124	PV	4077	181117	32.10%	5.290%
8	13.193	13.124	13.338	VV	8023	351967	62.38%	10.281%
9	13.921	13.783	14.031	BV	7741	343440	60.86%	10.032%
10	16.195	16.071	16.308	PV	8178	341680	60.55%	9.980%

Sum of corrected areas: 3423496

FB071122.M Mon Jul 18 16:13:15 2022