

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB071522\
Data File : FB027666.D
Signal(s) : FID2B.CH
Acq On : 15 Jul 2022 18:23
Sample : 20 PPB GRO STD
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 14 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB071122.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.718	4.556	4.862	VV	6755	553133	87.58%	14.869%
2	7.441	7.180	7.633	PV	6480	571783	90.53%	15.370%
3	7.755	7.633	7.822	VV	3488	188564	29.85%	5.069%
4	7.892	7.822	8.015	VV	4341	221631	35.09%	5.958%
5	8.796	8.640	8.971	BV	4512	248578	39.36%	6.682%
6	10.625	10.519	10.930	VB	13699	631610	100.00%	16.978%
7	13.062	12.954	13.123	PV	4397	191246	30.28%	5.141%
8	13.195	13.123	13.371	VV	8701	381550	60.41%	10.256%
9	13.921	13.747	14.034	PV	8406	372115	58.92%	10.003%
10	16.197	16.082	16.352	PBA	8610	359917	56.98%	9.675%

Sum of corrected areas: 3720127

FB071122.M Mon Jul 18 16:13:42 2022