

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB071525\  
Data File : FB032116.D  
Signal(s) : FID2B.CH  
Acq On : 15 Jul 2025 11:20  
Sample : BSF0715S1  
Misc : 5.00G/5.00 ML DI WATER  
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB071425.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.713       | 4.562        | 4.865      | PV       | 10112          | 745432       | 73.97%         | 13.660%       |
| 2         | 7.427       | 7.215        | 7.641      | BV       | 9745           | 836807       | 83.04%         | 15.334%       |
| 3         | 7.758       | 7.641        | 7.827      | VV       | 4761           | 261135       | 25.91%         | 4.785%        |
| 4         | 7.896       | 7.827        | 8.103      | VV       | 6331           | 336944       | 33.44%         | 6.174%        |
| 5         | 8.799       | 8.606        | 8.968      | BV       | 5235           | 294749       | 29.25%         | 5.401%        |
| 6         | 10.628      | 10.468       | 10.965     | BV       | 20321          | 1007735      | 100.00%        | 18.466%       |
| 7         | 13.063      | 12.837       | 13.124     | BV       | 6415           | 293184       | 29.09%         | 5.372%        |
| 8         | 13.196      | 13.124       | 13.444     | VB       | 12646          | 610957       | 60.63%         | 11.195%       |
| 9         | 13.924      | 13.744       | 14.078     | BV       | 12227          | 576826       | 57.24%         | 10.570%       |
| 10        | 16.199      | 16.069       | 16.401     | BBA      | 11373          | 493403       | 48.96%         | 9.041%        |

Sum of corrected areas: 5457170

FB071425.M Wed Jul 16 03:23:19 2025