

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB071525\
Data File : FB032121.D
Signal(s) : FID2B.CH
Acq On : 15 Jul 2025 14:05
Sample : BSF0715S2
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 2 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB071425.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.715	4.554	4.871	BV	9629	702966	70.90%	12.826%
2	7.431	7.181	7.641	BV	9304	803652	81.05%	14.663%
3	7.760	7.641	7.827	VV	4634	252079	25.42%	4.599%
4	7.898	7.827	8.164	VV	6153	328789	33.16%	5.999%
5	8.801	8.645	9.063	BV	5161	293118	29.56%	5.348%
6	10.630	10.499	10.967	VV	20028	991534	100.00%	18.091%
7	13.065	12.826	13.126	VV	6944	352755	35.58%	6.436%
8	13.198	13.126	13.463	VV	12997	693317	69.92%	12.650%
9	13.926	13.822	14.053	VV	11976	569476	57.43%	10.390%
10	16.201	16.090	16.327	PV	11345	493167	49.74%	8.998%

Sum of corrected areas: 5480853

FB071425.M Wed Jul 16 03:24:29 2025