

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB071525\
Data File : FB032122.D
Signal(s) : FID2B.CH
Acq On : 15 Jul 2025 14:32
Sample : 20 PPB GRO STD
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB071425.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.715	4.546	4.872	BV	9465	705198	72.37%	13.362%
2	7.430	7.206	7.644	BV	8932	777444	79.79%	14.731%
3	7.760	7.644	7.827	VV	4526	247601	25.41%	4.692%
4	7.898	7.827	8.172	VV	6142	330518	33.92%	6.263%
5	8.801	8.640	8.974	PV	5241	295167	30.29%	5.593%
6	10.629	10.468	10.950	BV	19802	974415	100.00%	18.463%
7	13.066	12.896	13.126	PV	6366	291911	29.96%	5.531%
8	13.198	13.126	13.452	VV	12515	610859	62.69%	11.575%
9	13.926	13.759	14.080	VV	11904	555917	57.05%	10.534%
10	16.201	16.088	16.335	PV	11323	488504	50.13%	9.256%

Sum of corrected areas: 5277534

FB071425.M Wed Jul 16 03:24:49 2025