

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB071525\
Data File : FB032129.D
Signal(s) : FID2B.CH
Acq On : 15 Jul 2025 18:56
Sample : BSF0715S3
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 11 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB071425.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.716	4.548	4.870	BV	10015	735892	71.57%	13.437%
2	7.428	7.206	7.641	PV	9221	791023	76.93%	14.444%
3	7.760	7.641	7.826	VV	4546	248073	24.13%	4.530%
4	7.899	7.826	8.091	VV	6452	345239	33.58%	6.304%
5	8.800	8.619	9.032	PV	5344	304011	29.57%	5.551%
6	10.629	10.481	10.927	PV	20752	1028177	100.00%	18.774%
7	13.065	12.942	13.126	VV	6592	299069	29.09%	5.461%
8	13.198	13.126	13.405	VV	12959	625850	60.87%	11.428%
9	13.925	13.806	14.090	PV	12545	594198	57.79%	10.850%
10	16.200	16.069	16.339	PV	11637	504955	49.11%	9.220%

Sum of corrected areas: 5476486

FB071425.M Wed Jul 16 03:26:00 2025