

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB071620\
Data File : FB024612.D
Signal(s) : FID2B.CH
Acq On : 16 Jul 2020 10:38
Sample : BSF0716S1
Misc : 5.02g/5.00ml DI WATER
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB070920.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.689	4.530	4.806	PV	11575	817306	83.37%	14.263%
2	7.416	7.197	7.623	PV	10582	885278	90.30%	15.449%
3	7.755	7.623	7.822	VV	5326	291605	29.75%	5.089%
4	7.890	7.822	8.027	VV	6575	344024	35.09%	6.004%
5	8.797	8.622	9.031	BV	7554	425007	43.35%	7.417%
6	10.627	10.522	10.774	VV	21284	980343	100.00%	17.108%
7	13.067	12.950	13.129	PV	7062	308859	31.51%	5.390%
8	13.200	13.129	13.342	VV	13620	602487	61.46%	10.514%
9	13.927	13.799	14.033	PV	13211	588764	60.06%	10.275%
10	16.205	16.092	16.340	PV	11536	486519	49.63%	8.490%

Sum of corrected areas: 5730192

FB070920.M Fri Jul 17 08:59:55 2020