

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB071621\
Data File : FB026067.D
Signal(s) : FID2B.CH
Acq On : 16 Jul 2021 16:46
Sample : BSF0716S1
Misc : 5.01G/5.00 ML DI WATER
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB071621.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.838	4.679	4.979	BV	13982	1067011	70.12%	13.575%
2	7.511	7.309	7.716	BV	8689	860639	56.56%	10.949%
3	7.823	7.716	7.893	VV	10049	567923	37.32%	7.225%
4	7.962	7.893	8.233	VB	11086	578192	38.00%	7.356%
5	8.849	8.654	9.021	BV	12657	691623	45.45%	8.799%
6	10.661	10.557	10.790	VV	33690	1521758	100.00%	19.360%
7	13.082	12.886	13.143	BV	10283	446060	29.31%	5.675%
8	13.214	13.143	13.409	VB	19457	854239	56.13%	10.868%
9	13.939	13.699	14.033	BV	17039	755232	49.63%	9.608%
10	16.208	16.091	16.332	PBA	12358	517675	34.02%	6.586%

Sum of corrected areas: 7860354

FB071621.M Fri Jul 16 17:43:32 2021