

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB071624\
Data File : FB030795.D
Signal(s) : FID2B.CH
Acq On : 16 Jul 2024 11:22
Sample : BSF0716S1
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB070324.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.709	4.534	4.852	BV	6967	532739	80.12%	13.368%
2	7.415	7.214	7.628	PV	7194	605326	91.04%	15.189%
3	7.750	7.628	7.815	VV	3359	182981	27.52%	4.591%
4	7.884	7.815	8.033	VV	4498	229188	34.47%	5.751%
5	8.789	8.629	8.952	PV	4193	230254	34.63%	5.778%
6	10.618	10.509	10.777	VV	14626	664892	100.00%	16.684%
7	13.054	12.801	13.115	BV	4954	215263	32.38%	5.402%
8	13.187	13.115	13.333	VV	9957	436463	65.64%	10.952%
9	13.914	13.675	14.028	BV	9884	436815	65.70%	10.961%
10	16.188	16.071	16.300	PV	10845	451309	67.88%	11.325%

Sum of corrected areas: 3985230

FB070324.M Wed Jul 17 07:23:08 2024