

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB071625\
Data File : FB032138.D
Signal(s) : FID2B.CH
Acq On : 16 Jul 2025 13:25
Sample : BSF0716S2
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB071425.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.717	4.548	4.877	BV	10627	791148	73.02%	13.215%
2	7.431	7.215	7.645	PV	10418	911833	84.15%	15.231%
3	7.760	7.645	7.828	VV	5275	289850	26.75%	4.841%
4	7.898	7.828	8.137	VV	6794	364939	33.68%	6.096%
5	8.800	8.669	9.016	VV	5478	308907	28.51%	5.160%
6	10.629	10.501	10.950	PV	22005	1083529	100.00%	18.099%
7	13.065	12.809	13.126	VV	7331	350964	32.39%	5.862%
8	13.198	13.126	13.458	VV	14156	721498	66.59%	12.051%
9	13.925	13.821	14.062	VV	13215	619690	57.19%	10.351%
10	16.200	16.096	16.327	PV	12600	544452	50.25%	9.094%

Sum of corrected areas: 5986811

FB071425.M Thu Jul 17 02:49:00 2025