

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB071625\
Data File : FB032144.D
Signal(s) : FID2B.CH
Acq On : 16 Jul 2025 17:10
Sample : BSF0716S3
Misc : 5.00G/ 5.00 ML DI WATER
ALS Vial : 2 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB071425.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.718	4.546	4.873	BV	10109	761969	71.91%	13.512%
2	7.433	7.217	7.646	PV	9282	808384	76.30%	14.335%
3	7.761	7.646	7.829	VV	4701	259742	24.51%	4.606%
4	7.900	7.829	8.206	VB	6654	361295	34.10%	6.407%
5	8.802	8.651	8.968	BV	5453	305891	28.87%	5.424%
6	10.631	10.506	10.958	PV	21242	1059544	100.00%	18.789%
7	13.067	12.947	13.128	VV	6751	309417	29.20%	5.487%
8	13.200	13.128	13.474	VV	13338	649796	61.33%	11.523%
9	13.927	13.761	14.081	BV	12866	605832	57.18%	10.743%
10	16.202	16.085	16.325	PV	11921	517358	48.83%	9.174%

Sum of corrected areas: 5639227

FB071425.M Thu Jul 17 01:56:39 2025