

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB071725\
Data File : FB032150.D
Signal(s) : FID2B.CH
Acq On : 17 Jul 2025 11:58
Sample : BSF0717S1
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB071425.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.716	4.540	4.860	BV	11924	888000	74.48%	13.907%
2	7.430	7.235	7.629	PV	11724	1010421	84.75%	15.824%
3	7.760	7.629	7.827	VV	5793	316490	26.54%	4.957%
4	7.898	7.827	8.105	VV	7419	393782	33.03%	6.167%
5	8.800	8.631	9.091	BV	4761	271115	22.74%	4.246%
6	10.629	10.519	10.992	VV	24054	1192283	100.00%	18.672%
7	13.065	12.826	13.126	BV	7560	344780	28.92%	5.400%
8	13.198	13.126	13.433	VV	14850	716473	60.09%	11.221%
9	13.925	13.803	14.062	VV	14272	682457	57.24%	10.688%
10	16.200	16.077	16.352	PV	13117	569535	47.77%	8.919%

Sum of corrected areas: 6385336

FB071425.M Fri Jul 18 02:41:56 2025