

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB071725\
Data File : FB032152.D
Signal(s) : FID2B.CH
Acq On : 17 Jul 2025 13:12
Sample : IDOC-2
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 2 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB071425.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.716	4.532	4.867	BV	11740	864381	74.31%	13.675%
2	7.427	7.184	7.634	BV	11757	1005416	86.44%	15.906%
3	7.760	7.634	7.827	VV	5609	309458	26.60%	4.896%
4	7.898	7.827	8.203	VV	7316	397615	34.18%	6.290%
5	8.800	8.651	8.993	PV	5057	287757	24.74%	4.552%
6	10.629	10.516	10.948	VV	23455	1163189	100.00%	18.402%
7	13.065	12.920	13.126	PV	7445	338052	29.06%	5.348%
8	13.198	13.126	13.383	VV	14630	708353	60.90%	11.206%
9	13.925	13.672	14.066	BV	14089	675749	58.09%	10.690%
10	16.200	16.088	16.350	PV	13097	571056	49.09%	9.034%

Sum of corrected areas: 6321026

FB071425.M Fri Jul 18 02:42:37 2025