

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB071725\
Data File : FB032153.D
Signal(s) : FID2B.CH
Acq On : 17 Jul 2025 13:39
Sample : IDOC-3
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB071425.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.714	4.532	4.866	BV	11665	862526	74.66%	13.708%
2	7.428	7.221	7.641	PV	11563	988423	85.55%	15.709%
3	7.760	7.641	7.827	VV	5597	304014	26.31%	4.832%
4	7.898	7.827	8.045	VV	7151	375328	32.49%	5.965%
5	8.799	8.606	9.035	BV	6049	341950	29.60%	5.435%
6	10.629	10.516	10.975	VV	23277	1155319	100.00%	18.361%
7	13.065	12.946	13.126	VV	7399	335048	29.00%	5.325%
8	13.198	13.126	13.424	VV	14502	700341	60.62%	11.130%
9	13.925	13.803	14.067	PV	13930	666091	57.65%	10.586%
10	16.200	16.080	16.352	PV	12981	563104	48.74%	8.949%

Sum of corrected areas: 6292143

FB071425.M Fri Jul 18 02:42:58 2025