

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB071725\
Data File : FB032155.D
Signal(s) : FID2B.CH
Acq On : 17 Jul 2025 14:35
Sample : BSF0717S2
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 5 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB071425.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.717	4.564	4.869	VV	11208	851483	74.85%	13.678%
2	7.432	7.196	7.645	PV	11030	966543	84.96%	15.526%
3	7.761	7.645	7.829	VV	5576	306709	26.96%	4.927%
4	7.898	7.829	8.133	VV	7144	382236	33.60%	6.140%
5	8.801	8.651	9.021	PV	6381	360366	31.68%	5.789%
6	10.630	10.516	10.969	VV	22775	1137591	100.00%	18.273%
7	13.067	12.957	13.127	BV	7198	327625	28.80%	5.263%
8	13.199	13.127	13.422	VV	14198	685321	60.24%	11.008%
9	13.927	13.783	14.062	VV	13677	656556	57.71%	10.546%
10	16.201	16.055	16.327	BV	12728	550989	48.43%	8.851%

Sum of corrected areas: 6225418

FB071425.M Fri Jul 18 02:43:38 2025