

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB072122\
Data File : FB027674.D
Signal(s) : FID2B.CH
Acq On : 21 Jul 2022 13:41
Sample : BSF0721S1
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB071122.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.717	4.551	4.862	PV	5661	475423	82.88%	13.858%
2	7.439	7.253	7.649	VV	6158	537897	93.77%	15.679%
3	7.758	7.649	7.826	VV	3157	170211	29.67%	4.961%
4	7.895	7.826	8.039	VV	3942	200155	34.89%	5.834%
5	8.800	8.640	8.991	PV	4325	238733	41.62%	6.959%
6	10.628	10.435	10.905	BV	12564	573641	100.00%	16.720%
7	13.066	12.703	13.127	BV	4138	183469	31.98%	5.348%
8	13.198	13.127	13.408	VV	8181	359896	62.74%	10.490%
9	13.925	13.697	14.043	BV	7879	344048	59.98%	10.028%
10	16.200	16.074	16.352	PBA	8312	347315	60.55%	10.123%

Sum of corrected areas: 3430787

FB071122.M Fri Jul 22 03:23:20 2022