

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB072122\
Data File : FB027679.D
Signal(s) : FID2B.CH
Acq On : 21 Jul 2022 16:53
Sample : BSF0721S2
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 9 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB071122.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.721	4.537	4.859	BV	6616	516255	86.44%	14.456%
2	7.441	7.245	7.633	VV	6406	560535	93.85%	15.696%
3	7.759	7.647	7.828	VV	3322	178609	29.91%	5.001%
4	7.897	7.828	8.027	VV	3961	202421	33.89%	5.668%
5	8.802	8.644	8.924	PV	4050	221942	37.16%	6.215%
6	10.631	10.513	10.772	VV	13159	597239	100.00%	16.724%
7	13.068	12.645	13.129	BV	4351	193975	32.48%	5.432%
8	13.200	13.129	13.380	VV	8496	373866	62.60%	10.469%
9	13.928	13.513	14.026	BV	8165	361227	60.48%	10.115%
10	16.203	16.066	16.352	PBA	8755	365168	61.14%	10.225%

Sum of corrected areas: 3571237

FB071122.M Fri Jul 22 03:21:22 2022