

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB072222\  
Data File : FB027684.D  
Signal(s) : FID2B.CH  
Acq On : 22 Jul 2022 11:26  
Sample : BSF0722S1  
Misc : 5.00G/5.00 ML DI WATER  
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB071122.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.711       | 4.525        | 4.850      | PV       | 7858           | 604573       | 84.56%         | 14.412%       |
| 2         | 7.429       | 7.184        | 7.624      | BV       | 7445           | 638400       | 89.29%         | 15.218%       |
| 3         | 7.753       | 7.624        | 7.821      | VV       | 3870           | 208233       | 29.12%         | 4.964%        |
| 4         | 7.890       | 7.821        | 8.019      | VV       | 4846           | 246384       | 34.46%         | 5.873%        |
| 5         | 8.796       | 8.646        | 8.979      | VV       | 4884           | 270015       | 37.77%         | 6.437%        |
| 6         | 10.624      | 10.494       | 10.761     | VV       | 15740          | 714965       | 100.00%        | 17.044%       |
| 7         | 13.061      | 12.851       | 13.122     | PV       | 5159           | 226539       | 31.69%         | 5.400%        |
| 8         | 13.194      | 13.122       | 13.360     | VB       | 10095          | 444008       | 62.10%         | 10.584%       |
| 9         | 13.921      | 13.644       | 14.026     | BV       | 9617           | 429646       | 60.09%         | 10.242%       |
| 10        | 16.197      | 16.055       | 16.352     | PBA      | 9849           | 412175       | 57.65%         | 9.826%        |

Sum of corrected areas: 4194938

FB071122.M Mon Jul 25 16:36:56 2022