

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB072320\
Data File : FB024673.D
Signal(s) : FID2B.CH
Acq On : 23 Jul 2020 14:44
Sample : BSF0723S1
Misc : 5.02g/5.00ml DI WATER
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB070920.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.689	4.506	4.820	BV	13198	941727	81.80%	14.111%
2	7.419	7.216	7.632	PV	12362	1033603	89.78%	15.488%
3	7.759	7.632	7.825	VV	6241	341893	29.70%	5.123%
4	7.894	7.825	8.110	VV	7746	408292	35.46%	6.118%
5	8.800	8.542	8.995	PV	8700	485570	42.18%	7.276%
6	10.631	10.512	10.857	BV	25013	1151271	100.00%	17.251%
7	13.071	12.900	13.133	BV	8150	356347	30.95%	5.340%
8	13.204	13.133	13.353	VV	15766	695097	60.38%	10.415%
9	13.931	13.696	14.044	BV	15291	680316	59.09%	10.194%
10	16.208	16.101	16.327	VV	13719	579581	50.34%	8.685%

Sum of corrected areas: 6673697

FB070920.M Fri Jul 24 08:45:18 2020