

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB072424\
Data File : FB030829.D
Signal(s) : FID2B.CH
Acq On : 24 Jul 2024 16:00
Sample : BSF0724S2
Misc : 5.04G/5.00 ML DI WATER
ALS Vial : 9 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB070324.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.710	4.512	4.849	BV	6228	489468	76.00%	13.402%
2	7.418	7.215	7.627	PV	6169	521206	80.93%	14.271%
3	7.749	7.627	7.816	VV	3325	181656	28.21%	4.974%
4	7.885	7.816	8.001	VV	4407	223418	34.69%	6.117%
5	8.791	8.620	8.938	BV	4040	221297	34.36%	6.059%
6	10.618	10.513	10.752	VV	14178	644016	100.00%	17.634%
7	13.054	12.943	13.115	VV	4651	201276	31.25%	5.511%
8	13.187	13.115	13.374	VV	9154	401957	62.41%	11.006%
9	13.913	13.536	14.020	BV	8794	391684	60.82%	10.725%
10	16.188	16.069	16.308	PV	8998	376142	58.41%	10.299%

Sum of corrected areas: 3652119

FB070324.M Thu Jul 25 04:30:34 2024