

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB072522\
Data File : FB027716.D
Signal(s) : FID2B.CH
Acq On : 25 Jul 2022 17:25
Sample : BSF0725S2
Misc : 5.08G/5.00 ML DI WATER
ALS Vial : 12 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB071122.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.723	4.526	4.856	PV	4828	392206	62.83%	11.195%
2	7.438	7.219	7.646	PV	5654	501152	80.28%	14.305%
3	7.760	7.646	7.822	VV	2483	133234	21.34%	3.803%
4	7.896	7.822	8.044	VV	4180	214908	34.43%	6.134%
5	8.801	8.656	8.971	PV	4633	256010	41.01%	7.307%
6	10.630	10.480	10.766	VV	13718	624265	100.00%	17.819%
7	13.066	12.917	13.128	VV	4676	204403	32.74%	5.834%
8	13.199	13.128	13.350	VV	9146	401652	64.34%	11.465%
9	13.926	13.736	14.042	BV	8806	390916	62.62%	11.158%
10	16.201	16.063	16.319	PV	9204	384674	61.62%	10.980%

Sum of corrected areas: 3503422

FB071122.M Tue Jul 26 12:21:10 2022