

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB072522\
Data File : FB027746.D
Signal(s) : FID2B.CH
Acq On : 26 Jul 2022 14:32
Sample : BSF0725S3
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB071122.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.717	4.516	4.853	PV	5163	411244	64.16%	11.376%
2	7.436	7.195	7.637	PV	5980	523713	81.71%	14.488%
3	7.754	7.637	7.819	VV	2533	136577	21.31%	3.778%
4	7.891	7.819	8.029	VV	4336	221761	34.60%	6.135%
5	8.796	8.647	8.965	PV	4827	267028	41.66%	7.387%
6	10.625	10.510	10.755	VV	14139	640967	100.00%	17.731%
7	13.063	12.845	13.124	BV	4807	210434	32.83%	5.821%
8	13.195	13.124	13.399	VV	9437	414338	64.64%	11.462%
9	13.922	13.703	14.042	BV	9076	398138	62.12%	11.014%
10	16.197	16.055	16.352	PBA	9326	390670	60.95%	10.807%

Sum of corrected areas: 3614868

FB071122.M Wed Jul 27 09:23:31 2022