

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB072722\
Data File : FB027767.D
Signal(s) : FID2B.CH
Acq On : 27 Jul 2022 11:31
Sample : BSF0727S2
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 5 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB071122.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.711	4.532	4.849	PV	5178	403957	64.85%	11.354%
2	7.431	7.234	7.634	PV	5940	514772	82.64%	14.468%
3	7.751	7.634	7.815	VV	2381	127906	20.53%	3.595%
4	7.888	7.815	8.027	VV	4229	215959	34.67%	6.070%
5	8.792	8.615	8.974	BV	4660	256379	41.16%	7.206%
6	10.622	10.517	10.755	VV	13782	622872	100.00%	17.506%
7	13.059	12.809	13.121	BV	4708	205586	33.01%	5.778%
8	13.192	13.121	13.388	VB	9258	407460	65.42%	11.452%
9	13.919	13.692	14.037	BV	8991	399350	64.11%	11.224%
10	16.194	16.066	16.352	PBA	9646	403735	64.82%	11.347%

Sum of corrected areas: 3557975

FB071122.M Thu Jul 28 11:19:05 2022